

SANITARY FITTINGS

WELDING & CLAMP FITTINGS

Sanitary fittings (Hygienic fittings) were developed and are used because they are cleanable; either by dismantling a system and manually cleaning it or using a CIP (clean in place) process including in beverage, cosmetic, dairy and food process industries.

ELBOW

彎頭



REDUCER

大小頭



TEE

三通



CROSS

四通



CAP


管帽



SANFIT Metal offers a variety of sanitary fittings with high quality and competitive prices.

Components are fast and easy to take down and become increasingly popular in home breweries, too.


3A-2WC 90° ELBOW SHORT



UNIT:mm

SIZE	Ø A	L
1/2"	12.7	19.05
3/4"	19.05	28.6
1"	25.4	38.1
1.2"	31.8	47.7
1.5"	38.1	57.2
2"	50.8	76.2
2.5"	63.5	95.3
3"	76.2	114.3
4"	101.6	152.4
6"	152.4	228.6


3A-2WK 45° ELBOW SHORT



UNIT:mm

SIZE	Ø A	L	R
1/2"	12.7	7.9	19.07
3/4"	19.05	11.9	28.7
1"	25.4	15.9	38.4
1.5"	38.1	23.8	57.5
2"	50.8	31.8	76.8
2.5"	63.5	39.7	95.8
3"	76.2	47.6	114.9
4"	101.6	63.5	153.3
6"	152.4	95.3	230.1


3A-L2S 90° ELBOW LONG



UNIT:mm

SIZE	Ø A	L	R
1/2"	12.7	76.2	19.05
3/4"	19.05	76.2	28.6
1"	25.4	52.4	38.1
1.5"	38.1	74.6	57.15
2"	50.8	103.2	76.2
2.5"	63.5	131.8	95.25
3"	76.2	160.3	114.3
4"	101.6	211.1	152.4
6"	152.4	292.1	228.6


3A-L2KS 45° ELBOW LONG



UNIT:mm

SIZE	Ø A	L	R
1/2"	12.7	30.2	19.07
3/4"	19.05	30.2	28.7
1"	25.4	30.2	38.4
1.5"	38.1	41.3	57.5
2"	50.8	58.7	76.8
2.5"	63.5	76.2	95.8
3"	76.2	93.7	114.9
4"	101.6	122.2	153.3
6"	152.4	158.2	230.1


IDF-2WC 90° ELBOW SHORT



UNIT:mm

SIZE	Ø A	L	R
1"	25.4	33.5	33.5
1.2"	31.8	38.0	38.0
1.5"	38.1	48.5	48.5
2"	50.8	60.5	60.5
2.5"	63.5	83.5	83.5
3"	76.2	88.5	88.5
4"	101.6	127.0	127.0


3A-2CMP 90° ELBOW SHORT



UNIT:mm

SIZE	Ø A	Ø B	L
1/2"	25.2	12.7	31.8
3/4"	25.2	19.05	41.3
1"	50.5	25.4	50.8
1.5"	50.5	38.1	69.9
2"	64.0	50.8	88.9
2.5"	77.5	63.5	108.0
3"	91.0	76.2	127.0
4"	119.0	101.6	168.3
6"	166.8	152.4	266.7


3A-2KMP 45° ELBOW SHORT



UNIT:mm

SIZE	Ø A	L	R
1/2"	25.2	19.8	19.07
1/2"	25.2	35.5	19.07
3/4"	25.2	24.6	28.7
3/4"	25.2	34.4	28.7
1"	50.5	28.6	38.4
1.5"	50.5	36.5	57.5
2"	64.0	44.5	76.8
2.5"	77.5	52.4	95.8
3"	91.0	60.3	114.9
4"	119.0	79.4	153.3
6"	166.8	133.4	230.1


3A-L2KMD 45° LONG ELBOW ONE END CLAMP



UNIT:mm

SIZE	Ø A	Ø B	R	H	H1
1"	50.5	25.4	33.5	30.2	45.9
1.5"	50.5	38.1	38.0	41.3	54.0
2"	64.0	50.8	48.5	58.7	71.4
2.5"	77.5	63.5	60.5	76.2	88.9
3"	91.0	76.2	83.5	93.7	106.4
4"	119.0	101.6	88.5	122.2	138.1


3A-2KMD 45° SHORT ELBOW ONE END CLAMP



UNIT:mm

SIZE	Ø A	Ø B	Ø C	H1	H	L
1"	50.5	25.4	22.1	28.6	15.9	48.8
1.5"	50.5	38.1	34.8	36.5	23.8	66.8
2"	64.0	50.8	47.5	44.5	31.8	85.0
2.5"	77.5	63.5	60.2	52.4	39.7	102.9
3"	91.0	76.2	72.9	60.3	47.6	120.9
4"	119.0	101.6	97.5	76.2	63.5	157.1


3A-2CMD 90° ELBOW SHORT ONE END CLAMP



UNIT:mm

SIZE	Ø A	Ø B	H	L
1"	50.5	25.4	38.1	50.8
1.5"	50.5	38.1	57.2	69.9
2"	64.0	50.8	76.2	88.9
2.5"	77.5	63.5	95.3	108.0
3"	91.0	76.2	114.3	127.0
4"	119.0	101.6	152.4	168.3

3A-L2CMD 90° ELBOW LONG ONE END CLAMP




UNIT:mm

SIZE	Ø A	Ø B	L	L1	R
1"	25.4	50.5	52.4	65.1	38.1
1.5"	38.1	50.5	74.6	87.3	57.15
2"	50.8	64.0	103.2	115.9	76.2
2.5"	63.5	77.5	131.8	144.5	95.25
3"	76.2	91.0	160.3	173.0	114.3
4"	101.6	119.0	211.1	227.0	152.4

3A-31W CONCENTRIC REDUCER


UNIT:mm



SIZE	$\varnothing A$	$\varnothing B$	H
3/4"x1/2"	19.05	12.7	25.4
1"x1/2"	25.4	12.7	50.8
1"x3/4"	25.4	19.05	25.4
1.2"x1"	31.8	25.4	25.4
1.5"x1/2"	38.1	12.7	101.6
1.5"x3/4"	38.1	19.05	76.2
1.5"x1"	38.1	25.4	50.8
1.5"x1.2"	38.1	31.8	38.1
2"x1"	50.8	25.4	101.6
2"x1.2"	50.8	31.8	50.8
2"x1.5"	50.8	38.1	50.8
2.5"x1"	63.5	25.4	152.4
2.5"x1.5"	63.5	38.1	101.6
2.5"x2"	63.5	50.8	50.8
3"x1"	76.2	25.4	203.2
3"x1.5"	76.2	38.1	152.4
3"x2"	76.2	50.8	101.6
3"x2.5"	76.2	63.5	50.8
4"x1.5"	101.6	38.1	254
4"x2"	101.6	50.8	203.2
4"x2.5"	101.6	63.5	152.4
4"x3"	101.6	76.2	101.6
6"x2"	152.4	50.8	139.7
6"x3"	152.4	76.2	139.7
6"x4"	152.4	101.6	139.7

3A-32W ECCENTRIC REDUCER


UNIT:mm



SIZE	$\varnothing A$	$\varnothing B$	H
3/4"x1/2"	19.05	12.7	25.4
1"x1/2"	25.4	12.7	50.8
1"x3/4"	25.4	19.05	25.4
1.5"x1/2"	38.1	12.7	101.6
1.5"x3/4"	38.1	19.05	76.2
1.5"x1"	38.1	25.4	50.8
2"x1"	50.8	25.4	101.6
2"x1.5"	50.8	38.1	50.8
2.5"x1.5"	63.5	38.1	101.6
2.5"x2"	63.5	50.8	50.8
3"x1.5"	76.2	38.1	152.4
3"x2"	76.2	50.8	101.6
3"x2.5"	76.2	63.5	50.8
4"x1.5"	101.6	38.1	254.0
4"x2"	101.6	50.8	203.2
4"x2.5"	101.6	63.5	152.4
4"x3"	101.6	76.2	101.6
6"x2"	152.4	50.8	139.7
6"x3"	152.4	76.2	139.7
6"x4"	152.4	101.6	139.7

3A-31MP CONCENTRIC REDUCER (CLAMP)


UNIT:mm



SIZE	Ø A	Ø B	Ø C	Ø D	H
1"x1½"	50.5	25.4	25.2	12.7	76.2
1"x¾"	50.5	25.4	25.2	19.05	50.8
1.5"x1½"	50.5	38.1	25.2	12.7	127
1.5"x¾"	50.5	38.1	25.2	19.05	101.6
1.5"x1"	50.5	38.1	50.5	25.4	76.2
2"x1"	64.0	50.8	50.5	25.4	127.0
2"x1.5"	64.0	50.8	50.5	38.1	76.2
2.5"x1"	77.5	63.5	50.5	25.4	177.8
2.5"x1.5"	77.5	63.5	50.5	38.1	127.0
2.5"x2"	77.5	63.5	64.0	50.8	76.2
3"x1.5"	91.0	76.2	50.5	38.1	177.8
3"x2"	91.0	76.2	64.0	50.8	127.0
3"x2.5"	91.0	76.2	77.5	63.5	76.2
4"x2"	119.0	101.6	64.0	50.8	231.8
4"x2.5"	119.0	101.6	77.5	63.5	181.0
4"x3"	119.0	101.6	91.0	76.2	130.2
6"x3"	166.8	152.4	91.0	76.2	174.6
6"x4"	166.8	152.4	119.0	101.6	177.8

3A-32MP ECCENTRIC REDUCER (CLAMP)


UNIT:mm



SIZE	Ø A	Ø B	Ø C	Ø D	H
1"x1½"	50.5	25.4	25.2	12.7	76.2
1"x¾"	50.5	25.4	25.2	19.05	50.8
1.5"x1½"	50.5	38.1	25.2	12.7	127
1.5"x¾"	50.5	38.1	25.2	19.05	101.6
1.5"x1"	50.5	38.1	50.5	25.4	76.2
2"x1"	64.0	50.8	50.5	25.4	127
2"x1.5"	64.0	50.8	50.5	38.1	76.2
2.5"x1.5"	77.5	63.5	50.5	38.1	127
2.5"x2"	77.5	63.5	64.0	50.8	76.2
3"x1.5"	91.0	76.2	50.5	38.1	177.8
3"x2"	91.0	76.2	64.0	50.8	127
3"x2.5"	91.0	76.2	77.5	63.5	76.2
4"x2"	119.0	101.6	64.0	50.8	231.8
4"x2.5"	119.0	101.6	77.5	63.5	181
4"x3"	119.0	101.6	91.0	76.2	130.2

SMS-31W CONCENTRIC REDUCER


UNIT:mm



SIZE	Ø A	Ø B	H
1.2"x¾"	31.8	19.05	57.0
1.2"x1"	31.8	25.4	39.0
1.5"x1"	38.1	25.4	39.0
1.5"x1.2"	38.1	31.8	39.0
2"x1"	50.8	25.4	57.0
2"x1.5"	50.8	38.1	39.0
2.5"x1"	63.5	25.4	74.0
2.5"x1.5"	63.5	38.1	57.0
2.5"x2"	63.5	50.8	39.0
3"x1"	76.2	25.4	92.0
3"x1.5"	76.2	38.1	74.0
3"x2"	76.2	50.8	57.0
3"x2.5"	76.2	63.5	39.0
4"x2"	101.6	50.8	95.0
4"x2.5"	101.6	63.5	78.0
4"x3"	101.6	76.2	60.0


SMS-32W ECCENTRIC REDUCER

UNIT:mm



SIZE	Ø A	Ø B	H
1.5"x1"	38.1	25.4	46.0
2"x1"	50.8	25.4	68.0
2"x1.5"	50.8	38.1	47.0
2.5"x1"	63.5	25.4	92.0
2.5"x1.5"	63.5	38.1	70.0
2.5"x2"	63.5	50.8	44.0
3"x1.5"	76.2	38.1	92.0
3"x2"	76.2	50.8	68.0
3"x2.5"	76.2	63.5	47.0
4"x2"	101.6	50.8	117.0
4"x2.5"	101.6	63.5	94.0
4"x3"	101.6	76.2	74.0


3A-7W LONG WELD TEE



UNIT:mm

SIZE	Ø A	L	H
1/2"	12.7	107.9	53.9
3/4"	19.05	107.9	53.9
1"	25.4	95.3	47.6
1.5"	38.1	114.3	57.2
2"	50.8	152.4	76.2
2.5"	63.5	152.4	76.2
3"	76.2	165.1	82.6
4"	101.6	196.9	98.5
6"	152.4	285.8	142.9

3A-7WWW SHORT WELD TEE




UNIT:mm

SIZE	Ø A	L	H
1/2"	12.7	57.2	28.6
3/4"	19.1	57.2	28.6
1"	25.4	57.2	28.6
1.2"	31.8	76.2	38.1
1.5"	38.1	84.2	42.1
2"	50.8	104.8	52.4
2.5"	63.5	119.0	59.5
3"	76.2	131.8	65.9
4"	101.6	174.4	87.3
6"	152.4	254.0	127.0

3A-7RW LONG WELD REDUCING TEE


UNIT:mm



SIZE	Ø A	Ø B	L	H
¾"×½"	19.1	12.7	95.2	25.4
1"×½"	25.4	12.7	95.2	43.5
1"×¾"	25.4	19.05	95.2	50.8
1.5"×½"	38.1	12.7	114.4	56.4
1.5"×¾"	38.1	19.05	114.4	48.5
1.5"×1"	38.1	25.4	114.4	54.0
2"×½"	50.8	12.7	152.4	74.6
2"×¾"	50.8	19.05	152.4	60.3
2"×1"	50.8	25.4	152.4	60.3
2"×1.5"	50.8	38.1	152.4	63.5
2.5"×1"	63.5	25.4	152.4	69.9
2.5"×1.5"	63.5	38.1	152.4	69.9
2.5"×2"	63.5	50.8	152.4	76.2
3"×1"	76.2	25.4	165.2	76.2
3"×1.5"	76.2	38.1	165.2	85.7
3"×2"	76.2	50.8	165.2	89.4
3"×2.5"	76.2	63.5	165.2	89.4
4"×1"	101.6	25.4	196.8	101.6
4"×1.5"	101.6	38.1	196.8	101.6
4"×2"	101.6	50.8	196.8	101.6
4"×2.5"	101.6	63.5	196.8	94.2
4"×3"	101.6	76.2	196.8	95.3
6"×2"	152.4	50.8	254.0	120.7
6"×3"	152.4	76.2	254.0	123.8
6"×4"	152.4	101.6	254.0	120.7

3A-7RWWW SHORT WELD REDUCING TEE


UNIT:mm



SIZE	Ø A	Ø B	L	H
1"×½"	25.4	12.7	57.5	28.3
1"×¾"	25.4	19.05	57.5	28.3
1.5"×½"	38.1	12.70	84.1	35.0
1.5"×¾"	38.1	19.05	84.1	34.5
1.5"×1"	38.1	25.4	84.1	34.9
2"×1"	50.8	25.4	104.8	41.6
2"×1.5"	50.8	38.1	104.8	48.4
2.5"×1"	63.5	25.4	119.0	47.6
2.5"×1.5"	63.5	38.1	119.0	51.7
2.5"×2"	63.5	50.8	119.0	58.1
3"×1"	76.2	25.4	132.0	54.0
3"×1.5"	76.2	38.1	132.0	62.0
3"×2"	76.2	50.8	132.0	65.4
3"×2.5"	76.2	63.5	132.0	67.4
4"×1"	101.6	25.4	174.6	66.7
4"×1.5"	101.6	38.1	174.6	73.8
4"×2"	101.6	50.8	174.6	77.8
4"×2.5"	101.6	63.5	174.6	78.6
4"×3"	101.6	76.2	174.6	78.6
6"×3"	152.4	76.2	254.0	120.7
6"×4"	152.4	101.6	254.0	123.8

3A-7MP CLAMP TEE


UNIT:mm



SIZE	Ø A	Ø B	L	H
1/2"	25.4	12.7	82.6	41.3
1/2"	25.4	12.7	133.4	66.7
3/4"	25.4	19.05	82.6	41.3
3/4"	25.4	19.05	133.4	66.7
1"	50.5	25.4	120.6	60.3
1.5"	50.5	38.1	140.0	70.0
2"	64.0	50.8	177.8	88.9
2.5"	77.5	63.5	177.8	88.9
3"	91.0	76.2	190.6	95.3
4"	119.0	101.6	228.8	114.4
6"	166.8	152.4	330.2	165.1


3A-7RMP REDUCING CLAMP TEE

UNIT:mm



SIZE	Ø A	Ø B	Ø C	Ø D	L	H
1"x1/2"	50.5	25.4	25.2	12.7	120.6	60.2
1"x3/4"	50.5	25.4	25.2	19.05	120.6	60.2
1.5"x1/2"	50.5	38.1	25.2	12.7	139.8	66.8
1.5"x3/4"	50.5	38.1	25.2	19.05	139.8	66.8
1.5"x1"	50.5	38.1	50.5	25.4	139.8	66.8
2"x1/2"	64.0	50.8	25.2	12.7	177.8	73.0
2"x3/4"	64.0	50.8	25.2	19.05	177.8	73.0
2"x1"	64.0	50.8	50.5	25.4	177.8	73.0
2"x1.5"	64.0	50.8	50.5	38.1	177.8	76.2
2"x1/2"	77.5	63.5	25.2	12.7	177.8	83.0
2.5"x1"	77.5	63.5	50.5	25.4	177.8	83.0
2.5"x1.5"	77.5	63.5	50.5	38.1	177.8	83.0
2.5"x2"	77.5	63.5	64.0	50.8	177.8	95.2
3"x1"	91.0	76.2	50.5	25.4	190.6	90.5
3"x1.5"	91.0	76.2	50.5	38.1	190.6	89.0
3"x2"	91.0	76.2	64.0	50.8	190.6	101.6
3"x2.5"	91.0	76.2	77.5	63.5	190.6	95.4
4"x1.5"	119.0	101.6	50.5	38.1	228.6	114.3
4"x2"	119.0	101.6	64.0	50.8	228.6	114.3
4"x2.5"	119.0	101.6	77.5	63.5	228.6	107.9
4"x3"	119.0	101.6	91.0	76.2	228.6	107.9


3A-9W LONG WELD CROSS



UNIT:mm

SIZE	ø A	L
3/4"	19.05	47.6
1"	25.4	47.6
1.5"	38.1	57.2
2"	50.8	76.2
2.5"	63.5	76.2
3"	76.2	82.6
4"	101.6	98.5


3A-9WWW SHORT WELD CROSS



UNIT:mm

SIZE	ø A	H
3/4"	19.05	28.6
1"	25.4	28.6
1.5"	38.1	42.1
2"	50.8	52.4
2.5"	63.5	59.5
3"	76.2	65.9
4"	101.6	87.3


3A-9MP CLAMP CROSS



UNIT:mm

SIZE	ø A	ø B	L	H
3/4"	25.4	19.05	82.6	41.3
3/4"	25.4	19.05	133.4	66.7
1"	50.5	25.4	120.6	60.3
1.5"	50.5	38.1	140.0	70.0
2"	64.0	50.8	177.8	88.9
2.5"	77.5	63.5	177.8	88.9
3"	91.0	76.2	190.6	95.3
4"	119.0	101.6	228.8	114.4

3A-16W END CAP



UNIT:mm

SIZE	ø A	H
1"	25.4	9.5
1.5"	38.1	14.3
2"	50.8	19.1
2.5"	63.5	25.4
3"	76.2	31.8
4"	101.6	38.1
6"	152.4	50.8
8"	203.2	63.5